Information Letter Number: 224901			Date: 09.12.2022	
Title: SCD40, SCD4x Product Family Upgrade				
Product Identification: SCD40				
Reason for Change:	Design	Production	Logistics	
	Manufacturing Location	Quality/Reliability	🛛 Upgrade	

# Change Description:

This Infoletter covers a set of changes to the SCD40, part of the SCD4x product family.

### Increased peak reflow soldering temperature

The peak reflow soldering temperature for the SCD4x is increased from 235°C to 245°C for closer alignment with reflow soldering standards (IPC/JEDEC J-STD-020). The increased peak reflow soldering temperature will have no impact on sensor function and any previously established reflow profiles can be maintained.

### Second source for the microphone

A 2<sup>nd</sup> source for the microphone (a sub-component of the SCD4x products) has been established to increase the resilience of the supply chain. The 2<sup>nd</sup> source has been gualified to meet equivalent performance as the 1<sup>st</sup> source. Both sources may be used interchangeably on any of the SCD4x product family members.

#### Device marking

A laser marking on the side of the cap will be introduced which contains the product type (e.g. SCD40) and serial number within a QR code. The introduction of the laser marking will have no impact on dimensions or function of the cap.

Identification Method to Distinguish Change: new laser marking on cap

available

Samples:

will be available

I not applicable

## Quantifiable Impact on Quality & Reliability: No impact on form, fit, function or reliability

## Estimated Implementation Date\*: April 2023

\* The Estimated Implementation Date is the forecasted date that a customer may expect to receive changed product. This may be affected by fluctuations in supply and demand.

## Sensirion Contact: Your established sales contacts

If you have questions with regard to this Information Letter, please send them to the Sensirion contact e-mail address listed above.